

双绞线UTP-VGA延长器一对一应用示意图


One to One VGA Extender



Audio & Video Extender(50M)

Features:

- Compact desktop size transmitter and receiver.
- Works with Cat5, Cat5e, Cat6, Cat cable.
- Transmission distance of up to 50M MAX.
- No software installation required.
- Supports high VGA resolution up to 1280 x 1024.
- Power LED and data transmission LED indication.
- Connection between transmitter and receiver with a standard Network cable.



1 by 1— Stereo Audio 300Meter



One to One A & V Extender (300M)

Features:

- Works with Cat5, Cat5e, Cat6, Cat cable.
- Power: DC 5V/1A
- Supports high VGA resolution up to 1280 x 1024.
- Dimensions: 120.5(L)x72.5(W)x24(H)
- Housing: Metal

1 by 1— Stereo Audio 150Meter



One to One A & V Extender (150M)

Features:

- Works with Cat5, Cat5e, Cat6, Cat cable.
- Power: DC 5V/1A
- Supports high VGA resolution up to 1280 x 1024.
- Dimensions: DLT11-145(L)x84(W)x40(H), DLR11-103(L)x106.5(W)x30(H)
- Housing: Metal

1 by 1— 300Meter



One to One Video Extender (300M)

Features:

- Works with Cat5, Cat5e, Cat6 cable.
- Supports high VGA resolution up to 1280 x 1024.
- Power: VLT13-DC 5V/1A, VLR13-DC 5V/1A.
- Dimensions: VLT13-120.5(L)x726.5(W)x24(H); VLR13-120.5(L)x72.5(W)x24(H).
- Housing: Metal

1 by 1— 150Meter



One to One Video Extender (150M)

Features:

- Works with Cat5, Cat5e, Cat6 cable.
- Supports high VGA resolution up to 1280 x 1024.
- Power: VLT11-DC 5V/1A, VLR11-DC 5V/1A.
- Dimensions: VLT11-120.5(L)x726.5(W)x24(H); VLR11-120.5(L)x72.5(W)x24(H).
- Housing: Metal

双绞线UTP-VGA延长器一对一应用示意图

One to One VGA Extender



Audio & Video Extender(50M)

Features:

- Compact desktop size transmitter and receiver.
- Works with Cat5, Cat5e, Cat6, Cat cable.
- Transmission distance of up to 50M MAX.
- No software installation required.
- Supports high VGA resolution up to 1280 x 1024.
- Power LED and data transmission LED indication.
- Connection between transmitter and receiver with a standard Network cable.

Transmitter Receiver



1 by 1— Stereo Audio 300Meter One to One A & V Extender (300M)

Transmitter



Receiver



Features:

- Works with Cat5, Cat5e, Cat6, Cat cable.
- Power: DC 5V/1A
- Supports high VGA resolution up to 1280 x 1024.
- Dimensions:120.5(L)x72.5(W)x24(H)
- Housing: Metal

1 by 1— Stereo Audio 150Meter One to One A & V Extender (150M)

Transmitter



Receiver



Features:

- Works with Cat5, Cat5e, Cat6, Cat cable.
- Power: DC 5V/1A
- Supports high VGA resolution up to 1280 x 1024.
- Dimensions: Transmission-145(L)x84(W)x40(H), Receiver-103(L)x106.5(W)x30(H)
- Housing: Metal

双绞线UTP-VGA延长器一对多应用示意图

一进五出+本地近端显示

One to Multi Video Extender (300M)

OEM/MOQ:
300PCS




Transmitter



Receiver

Features:

- * Works with Cat5, Cat5e, Cat6 cable.
- * Supports high VGA resolution up to 1280 x 1024.
- * Power: Transmitter-DC 5V/2A,VLR13:DC 5V/1A.
- * Dimensions: Transmitter-147(L)x116.5(W)x30(H); Receiver-120.5(L)x72.5(W)x24(H).
- * Housing: Metal



[]更多详细资讯请咨询卓星彩奕 www.pcidv.com

Audio & Video Extender(300M)

一进16出+本地近端显示



Description:

The Audio Video Extender uses a local transmitter, and a remote Receiver to extend the transmission distance up to 300m via Cat5, Cat5e, Cat6, Ethernet cable.

Features:

- Compact desktop size transmitter and receiver.
- Works with Cat5, Cat5e, Cat6 cable, Ethernet cable.
- Transmission distance up to 300M Max.
- Plug-N-Play with easy setup for video signal adjustments.
- Compatible with DOS, MS Windows, Linux, Unix and Netware.
- Software installation is not required.
- Supports high VGA resolution: Transmitter up to 1920*1200, Receiver up to 1280*1024.
- Daisy chainable.

Application

